




Item	Description
1	44”h SEG Vertical Extrusion
2	44”h SEG Vertical Extrusion
3	24”w SEG Horizontal Extrusion
4	24”w SEG Horizontal Extrusion
5	44”h SEG Vertical Extrusion
6	44”h SEG Vertical Extrusion
7	24”w SEG Horizontal Extrusion
8	24”w SEG Horizontal Extrusion
9	15”w Horizontal Extrusion
10	15”w Horizontal Extrusion

- Setups:**
- 1) Assembled SEG extrusions together on floor.
Note: Attach infills and wings where indicated.
 - 2) Apply SEG graphic to assembled frame.
 - 3) Attach feet to both sides of assembled frame where indicated.

**** See attached SEG graphic installation for graphic attachment




When assembled




SETUP INSTRUCTIONS

Setups:

- 1) Attach shelves to assembled SEG table top using A10 Clamps. Refer to detail.




When assembled



A10 Clamp Detail


Tighten set screw to secure A10 to extrusion.




Tighten knob to secure shelf in place.

General Setup Instructions

- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.



Hex Tool - Essential for Assembly



Part Identification - Numbering




WARNING

Cleaning & Packing


- For Cleaning Metal, Plex, & Laminate Parts: Use a **MILD NON-ABRASIVE** cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure.
Heat and UV exposure will warp and fade components.
- Retain all provided Packing Materials. All provided packing materials are for ease of repacking & component protection.

Disassembly

- For loss prevention, tighten all set screws and locks during disassembly.




Spline Connection




Base Plate & Extrusion Connection




DO NOT USE POWER TOOLS



LADDERS OR LIFTS
MAY BE REQUIRED



Extrusion & Lock Connection




Engaged Lock




ALL CONNECTIONS MUST
BE TIGHTLY SECURED


Top View of Each Level



Level 1



Level 2



Level 3

- Graphics
- Setup Hardware
- Halogen Lights